


*FEHLING...*

*... THE DIFFERENCE*




3

SCISSORS  
SCHEREN



**FEHLING**  
**INSTRUMENTS**

Hanauer Landstr. 7A · 63791 Karlstein/Germany · [www.fehling-instruments.de](http://www.fehling-instruments.de)


 +49 (0) 61 88 - 9574.40  +49 (0) 61 88 - 9574.45  [info@fehling-instruments.de](mailto:info@fehling-instruments.de)



LENGTH LÄNGE	CURVED GEBOGEN	
	CERAMO TC	TC
180 mm	BOB-0	BBJ-8




CERAMO®  
TC TOENNIS  
STRONG PATTERN  
STARKES MODELL  
180 mm  
BRM-5



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE
	CERAMO TC	TC	CERAMO TC
180 mm	BOB-1	BBJ-0	BOB-2

TOENNIS



CERAMO®  
DELICATE, S-SHAPE HANDLE  
FEIN, S-FORM GRIFF  
180 mm  
BOB-1B



MAYO



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
145 mm	BOA-1	BBC-2	BOA-2	BBB-8
170 mm	BOA-3	BBC-3	BOA-4	BBB-9
230 mm	BOA-5	BBC-4	BOA-6	BBC-1



MAYO-STILLE



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
145 mm	BOB-7	BBC-8	BOB-8	BBC-6
170 mm	BOA-7	BBC-9	BOA-8	BBC-7



METZENBAUM STANDARD



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
145 mm	BOE-1	BBD-3	BOF-1	BBD-2
180 mm	BOE-2	BBD-6	BOF-2	BBD-4
200 mm	BOE-3	BBD-7	BOF-3	BCH-6
230 mm	BOE-4	BBD-8	BOF-4	BCH-7
260 mm	BOE-5	BBD-9	-	-
280 mm	BOE-6	BBE-1	BOF-9	-
300 mm	BOE-7	BBE-2	-	-



METZENBAUM FINO



LENGTH LÄNGE	BLUNT STUMPF			
	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
145 mm	BOC-1	BBE-5	BOD-1	BBE-4
180 mm	BOC-2	BBF-2	BOD-2	BBE-8
200 mm	BOC-3	BBF-3	BOD-3	BBE-9
230 mm	BOC-4	BBF-4	BOD-4	BBF-1
260 mm	BOC-5	BBF-5	-	-
280 mm	BOC-6	BBF-6	-	-

 also available with serrated blades  
auch mit Wellenschliff erhältlich



1/2

METZENBAUM FINO



LENGTH LÄNGE	POINTED SPITZ			
	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
145 mm	BOO-0	BBE-7	BOF-0	BBE-6
180 mm	BOO-1	BBG-3	BOO-4	BBF-9
200 mm	BOO-2	BBG-4	BOO-5	BBG-1
230 mm	BOO-3	BBG-5	BOO-6	BBG-2



1/2

METZENBAUM FINO  
S-SHAPE HANDLE  
S-FORM GRIFF



LENGTH LÄNGE	BLUNT / BLUNT STUMPF / STUMPF		POINTED / BLUNT SPITZ / STUMPF		POINTED / POINTED SPITZ / SPITZ	
	CERAMO TC	TC	CERAMO TC	TC	CERAMO TC	TC
145 mm	BOD-5	–	BOF-5	BCS-1	BOO-7	–
180 mm	BOD-6	BBH-1	BOF-6	–	BOO-8	BBG-8
200 mm	BOD-7	BBH-2	BOF-7	–	BOO-9	BBG-9
230 mm	BOD-8	BBH-3	BOF-8	–	–	–



1/2

LEXER FINO



1/4



1/4



1/4

LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
160 mm	BOB-3	BBB-5	BOB-5	BBB-3
210 mm	BOB-4	BBB-6	BOB-6	BBB-4



1/2

CERAMO®  
TC THOREK



1/4



1/4

LENGTH LÄNGE	CURVED GEBOGEN
200 mm	BOV-1
230 mm	BOV-2
280 mm	BOV-3



1/2

CERAMO®  
TC THOREK  
S-SHAPE HANDLE  
S-FORM GRIFF



1/4



1/4

LENGTH LÄNGE	CURVED GEBOGEN
200 mm	BOV-4
230 mm	BOV-5
280 mm	BOV-6



also available with serrated blades  
auch mit Wellenschliff erhältlich



DELICATE, BLUNT  
FEIN, STUMPF



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
115 mm	BON-1	BBH-7	BON-2	BBH-6



DELICATE, POINTED  
FEIN, SPITZ



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO TC	TC	CERAMO TC	TC
115 mm	BON-3	BBA-9	BON-4	BBA-8
145 mm	BON-5	–	BON-6	–
160 mm	BON-7	–	BON-8	–
180 mm	BOT-5	–	BOT-6	–



RAGNELL



LENGTH LÄNGE	CURVED GEBOGEN	
	CERAMO TC	TC
125 mm	BOT-3	BCS-2
150 mm	BOT-4	-
160 mm	BOZ-7	-



CERAMO®  
TC STEVENS



LENGTH LÄNGE	CURVED GEBOGEN	STRAIGHT GERADE
110 mm	BOS-5	BOS-6
125 mm	BOS-7	BOS-8
150 mm	BOT-1	BOT-8



CERAMO®  
TC REYNOLDS  
175 mm  
BOT-2





DELICATE  
FEIN  
115 mm

CERAMO TC	TC
BOT-7	BCY-3




UNIVERSAL  
120 mm

CERAMO TC	TC
BOS-1	BBK-2



CERAMO®  
TC GOLDMANN-FOX



LENGTH LÄNGE	1 BLADE SERRATED 1 BLATT GEZAHNT		NON-SERRATED UNGEZAHNT	
	CURVED GEBOGEN	STRAIGHT GERADE	CURVED GEBOGEN	STRAIGHT GERADE
130 mm	BOY-3	BOY-2	BOY-5	BOY-4

CERAMO®



TC LOCKLIN  
160 mm  
BOV-7



TC LOCKLIN S  
160 mm  
BOV-8




TC DEAN  
170 mm  
BOV-9



INTIMA  
170 mm  
BOR-6



POTTS



LENGTH LÄNGE	CERAMO TC	TC
190 mm	BOP-1	BCL-7
230 mm	BOP-4	-
190 mm	BOP-2	BCJ-5
230 mm	BOP-5	-
185 mm	BOP-3	BCJ-6
225 mm	BOP-6	BCJ-7



DE BAKEY



LENGTH LÄNGE	CERAMO TC	TC
190 mm	BOM-4	BAZ-8
230 mm	BOM-7	BAZ-9
190 mm	BOM-5	BBA-1
230 mm	BOM-8	BBA-2
185 mm	BOM-6	BBA-3
225 mm	BOM-9	BBA-4

CERAMO®




TC HYPERION


	LENGTH LÄNGE	BLADE LENGTH BLATTLÄNGE	
		10 mm	14 mm
 25°	180 mm	BOP-7	BOR-1
 45°	180 mm	BOR-7	BOR-2
 60°	175 mm	BOP-8	BOR-3
 90°	170 mm	BOR-8	BOR-4
 125°	170 mm	BOP-9	BOR-5



STANDARD



LENGTH LÄNGE	POINTED / BLUNT SPITZ / STUMPF			
	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO	UNCOATED	CERAMO	UNCOATED
105 mm	BOI-1	-	BOJ-1	BAD-7
115 mm	BOI-2	BAG-2	BOJ-2	BAD-8
145 mm	BOI-3	BAG-4	BOJ-3	BAE-1
165 mm	BOI-4	BAG-6	BOJ-4	BAE-3
185 mm	BOI-5	BAG-7	BOJ-5	BAE-4
205 mm	BOI-6	-	BOJ-6	BAE-5



LENGTH LÄNGE	BLUNT / BLUNT STUMPF / STUMPF				POINTED / POINTED SPITZ / SPITZ			
	CURVED GEBOGEN		STRAIGHT GERADE		CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO	UNCOATED	CERAMO	UNCOATED	CERAMO	UNCOATED	CERAMO	UNCOATED
105 mm	-	-	-	BAC-8	-	-	-	BAE-6
115 mm	BOK-1	BAF-3	BOK-4	BAC-9	-	BAG-8	-	BAE-7
145 mm	BOK-2	BAF-5	BOK-5	BAD-2	BOI-7	BAH-1	BOJ-7	BAE-9
165 mm	BOK-3	BAF-7	BOK-6	BAD-4	BOI-8	BAH-3	BOJ-8	BAF-2
185 mm	-	BAF-9	-	BAD-5	-	-	-	-
205 mm	-	BAG-1	-	BAD-6	-	-	-	-



DOYEN



LENGTH LÄNGE	CURVED GEBOGEN		STRAIGHT GERADE	
	CERAMO	UNCOATED	CERAMO	UNCOATED
180 mm	BOL-1	BAJ-7	BOL-2	BAJ-5



TC SIMS



LENGTH LÄNGE	CURVED GEBOGEN	
	CERAMO	UNCOATED
200 mm	BOL-4	BBJ-6
230 mm	BOL-5	BBJ-7



WERTHEIM



LENGTH LÄNGE	CURVED GEBOGEN	
	CERAMO TC	TC
230 mm	BOL-6	BCG-8




LIGATUR



LENGTH LÄNGE	CURVED GEBOGEN	
	CERAMO TC	TC
145 mm	BOZ-1	-
180 mm	BOZ-2	BCN-8

1 BLADE SERRATED  
1 BLATT GEZAHNT



CERAMO®  
PARAMETRIUM



LENGTH LÄNGE	CURVED GEBOGEN
215 mm	BOW-9
255 mm	BOW-7
295 mm	BOW-8
345 mm	BOX-0



BANDAGE SCISSORS  
VERBANDSCHEREN

LENGTH LÄNGE	LISTER		TC LISTER	
	CERAMO	UNCOATED	CERAMO	UNCOATED
140 mm	BOL-7	KBR-9	BOS-2	-
180 mm	BOL-8	KBS-2	BOS-3	KBT-1
200 mm	BOL-3	KBS-3	BOS-4	-